

China

T/T

goodsense

Bare packaging

30-40work days

G-Series 2.5T Diesel Forklift 3000mm Lift Height With Xinchai And Yanmar Engine

Basic Information

- Place of Origin:
- Brand Name:
- Minimum Order Quantity: Negotiable
- Price: Negotiable
- Packaging Details:
- Delivery Time:
- Payment Terms:



Product Specification

- Series:
- Lift Height:
- Place Of Origin:
- Brand Name:
- Name:
- Condition:
- Energy Supply:
- Advantage:
- Highlight:

3000mm China Goodsense Forklift New Reference Introduction Small Vibration And Noise

G-series

G-series 2.5 t diesel forklift, 3000mm 2.5 tonne forklift, 2.5 t diesel forklift for sale

Our Product Introduction


Product Description

2.5T Diesel Forklift With Xinchai And Yanmar Engine

DIESEL FORKLIFT

G-SERIES DIESEL FORKLIFT 2.0-2.5 TON

_	.1		Model			FD20	FD25	FD20	FD25
General	2	Power Type				Diesel	Diesel	Diesel	Diesel
	3	Rated Capacity			kg	2000	2500	2000	2500
	4	Load Centre			mm	500	500	500	500
	5			mm	3000	3000	3000	3000	
	6	Fork Size		L×W×T	mm	1070x120x40	1070x120x40	1070x120x40	1070x120x4
5	7	Mast Till Angle		F/R	Deg	6*/12*	6*/12*	6*/12*	6"/12"
isu	8	Front Overhang (Wheel center to fork face)			mm	470	470	470	470
Characreristic&Dimension	9	Ground Clearance (Bottom of mast)			mm	120	120	120	120
	10		Length to face of fork(Without fork)		mm	2600	2600	2600	2600
	11		Overall Width		mm	1150	1150	1150	1150
	12	Overall Dimension	Ma	st Lowered Height	mm	2055	2055	2055	2055
	13		Mast Extended Height(With backrest)		mm	4050	4050	4050	4050
	14		Overhead Guard Height		mm	2070	2070	2070	2070
	15	Turning Radius (outside)		utside)	mm	2300	2300	2300	2300
	16	Min. insecting aisle		mm	2380	2380	2380	2380	
Performance	17	Speed	Tra	ivel (Empty load)	km/h	19	19	19	19
	18	opeed	L	ifting(Full load)	mm/s	550	520	550	520
Perf	19	Max.Gradeability		%	25	25	25	25	
	20		Front			7.00-12-12 PR	7.00-12-12 PR	7.00-12-12 PR	7.00-12-12 P
SSIS	21	Tire		Rear		6.00-9-10 PR	6.00-9-10 PR	6.00-9-10 PR	6.00-9-10 P
Chassis	22	Wheelbase			mm	1600	1600	1600	1600
-	23	Service weight			kg	3560	3700	3560	3700
	24	Battery	Ve	oltage/Capacity	V/Ah	12/80	12/80	12/80	12/80
	25	Model		Model	A498		815	4TNE92	
	26		Manufacture			XINCHAI		YANMAR	
Power&Transimission	27	Engine	Rated output/r.p.m.		kw	38/2400		33/2450	
	28		Rated torque/r.p.m.		N-m	189/1600-1800		136-150/1500-1700	
	29		No.of Cylinder			4		4	
	30		Bore×Stroke		mm	98×105		92×100	
	31		Displacement		cc	3168		2659	
	32		Fuel Tank Capacity		L	60	60	60	60 .
	33	Transmission	Туре				Power Shift with	torque converter	
	34	Transmission	Stage	FWD/RVS		1/1	1/1	1/1	1/1
	36	Operating Pressure for Attachment			Мра	17.5	17.5	17.5	17.5



Туре	Model	Lift Height (mm)	Load Capacity (kg)		Overall Height (mm)			Free Lift (mm)		1000000
						2.0-2.1	н	2.0-2.51		Till Angle
					Mast	MastExtended		Mast Extended		E (Elden)
			2.01	2.51	Lowered	With Backrest	Without Backrest	With Backrest	Without Backrest	F/R(deg)
Wide viaw 2-stage mast	M200	2000	2000	2500	1555	2960	2550	e.)		6/12
	M250	2500	2000	2500	5805	3460	3050			8/12
	M300	3000	2000	2500	2055	2960	3650			6/12
	M330	3300	2000	2500	2205	4260	3850			6/12
	M350	3500	2000	2500	2305	4460	4050	2 .		6/12
	M370	3700	2000	2500	2405	4660	4250	+		6/12
	M400	4000	2000	2500	2605	4960	4550			6/12
	M450	4500	1800*1900	2150*2400	2855	5460	5050	-		6/6
	M500	5000	1600*1700	1700*2200	3105	5960	5550	-		6/6
	M\$50	5500	1500*1800	1550*1950	3405	6460	6050	-		3/0
	M600	6000	950*1300	1000*1800	3655	6963	6550			3/6
	Z200	2000	2000	2500	1555	3075	2660	510	930	6/12
=	Z250	2500	2000	2500	1805	3575	3160	760	1180	6/12
Full free 2-stage mast	2300	3000	2000	2500	2055	4075	3660	1010	1430	6/12
	Z330	3300	2000	2500	2205	4375	3960	1160	1580	6/12
	Z350	3500	2000	2500	2305	4675	4160	1260	1680	6/12
	Z370	3700	2000	2500	2405	4775	4360	1360	1780	6/12
	Z400	4000	2000	2500	2605	5075	4660	1560	1980	6/12
Full free 3-stage mast	\$370	3700	2000	2500	1790	4770	4355	745	1160	675
	\$480	4000	1900	2400	1890	5070	4655	845	1260	6/5
	\$435	4350	1850-1990	2200*2400	2005	5420	5005	960	1375	6/6
	5450	4500	1750*1800	2150*2300	2055	5570	5155	1010	1425	6/6
	5480	4800	1700*1800	1950*2300	2155	5870	5455	1110	1625	6/6
	\$500	5000	1550*1750	1750*2250	2225	6070	5655	1180	1595	6/6
	5550	5500	1400*1700	1500*2150	2440	6570	6155	1400 -	1815	3/6
	\$600	6000	900*1600	1000*1800	2605	7070	6655	1670	1965	3/6



Taizhou Ruidong Import and Export Co., Ltd

18367688514

gjq_0208@163.com Brdforklift.com

Room 606, East Building 3, Tengda Center, Jiaojiang District, Taizhou, Zhejiang, China