Basic Information

Place of Origin: China
 Brand Name: GOODSENSE
 Minimum Order Quantity: Negotiable
 Price: Negotiable
 Packaging Details: Bare packaging
 Delivery Time: 30-40work days

• Payment Terms:



Product Specification

Name: Forklift
Feature: High Safety
Place Of Origin: China
Brand Name: Goodsense
Condition: New

Energy Supply: Reference Introduction Advantage: Small Vibration And Noise

• Highlight: 1.8 ton lpg forklift truck, lpg diesel forklift truck,

1.8 ton diesel forklift truck

rioduci Specificat

for more products please visit us on rdforklift.com

Our Product Introduction

Product Description

BOOST YOUR PRODUCTIVITY

OUR 1.8 TON LPG FORKLIFT ERGONOMICALLY DESIGNED AND CAPACIOUS OPERATOR COMPARTMENT,
TOGETHER WITH A TYPE OF OPERATIONAL ENHANCEMENTS, FACILITATES EASIER OPERATION,
IMPROVING COMFORT AND HELPING TO BOOST PRODUCTIVITY.

OPERATOR FRIENDLY FEATURES INCLUDE:

SPACIOUS OPERATOR COMPARTMENT

CAPACIOUS OPERATOR LEG ROOM, INCLINABLE STEERING COLUMN AND ERGONOMICALLY LOCATED OPERATOR FOOTPLATES RESULT IN AN ERGONOMIC DESIGN TO KEEP THE OPERATOR COMFORTABLE



INTEGRATED INSTRUMENT PANEL

THE INTEGRATED INSTRUMENT PANEL PROVIDES CRITICAL INFORMATION PROMPTLY. FUEL, OIL PRESSURE, TEMPERATURE, SEAT BELT AND HOUR USAGE ARE CLEARLY INDICATED SO THAT THE FORKLIFT KEEPS THE OPERATOR FULLY AWARE OF VEHICLE PERFORMANCE.

OPERATOR SENSING SYSTEM

AFTER THE OPERATOR LEAVES THE SEAT THREE SECONDS, THE 1.8 TON LPG FORKLIFT WILL STOP MOVING FORWARD AND BACKWARD IMMEDIATELY, AND IT WILL ALSO STOP LOADING AND UNLOADING OF GOODS.

REAR GRAB HANDLE WITH HORN(OPTINAL) AND BLUE LIGHT(OPTIONAL)

THE HORN IS IN ORDER TO ALERT AMBIENT CREW WITHOUT THE NEED TO LOOK AWAY FROM THE DIRECTION OF

TRAVEL. THE BLUE SPOT LIGHT IS AN WARNING SYSTEM FOR THE 1.8 TON LPG FORKLIFT TRUCKS, WHICH ENSURES GREATER SAFETY IN AISLES AND ESPECIALLY IN CONFUSING CROSSING AREAS.

EASY TO SERVICE, EFFICIENT TO RUN

INTEGRATEDELECTRIC COMPONENTS

THE CENTRAL ELECTRIC CONTROL BOX IS LOCATED NEXT TI THE BATTERY TO FACILITATE EASY MAINTENANCE.

EASY TO SERVICE

THE FOOTPLATE IS VERY EASY TO REMOVE WHICH GIVES ENGINEERS QUICK AND EASY ACCESS TO SERVICE THE FORKLIFT.

HIGH POWERED, FUEL EFFICIENT PERFORMANCE

GCT K21

RATED OUTPUT: 31.2KW

R.P.M.: 2250

RATED TORQUE: 143.7N.M

R.P.M.: 1600

NUMBER OF CYLINDER: FOUR BORE*STROKE: 89MM*83MM DISPLACEMENT: 2065 CC

FUEL TANK CAPACITY: 45 LITRE



A DISTINGUISHING FEATURE OF WEAR AND DEPENDABILITY

GOODSENSE'S GOAL IS TO MAKE YOUR MATERIAL HANDLING OPERATION MORE EFFICIENT AND MORE

BY MINIMIZING YOUR FORKLIFT MAINTENANCE DOWNTIME TO REDUCE OVERALL MAINTENANCE COST.

POWER REVERSAL TRANSMISSION

THE TOP INSTALLED CONTROL VALVE:

ACCURATELY ADJUSTS CLUTCH OIL PRESSURE

PROVIDES OILILY FORWARD / REVERSE DIRECTION CHANGES

RANGES TRANSMISSION LIFE

HYDROSTATIC STEERING SYSTEM

FULLY HYDROSTATIC STEERING

SELF - ALIGNING TAPER ROLLER BEARINGS

DESIGNED TO OPERATE IN POLLUTED CIRCUMSTANCES AND HIGH IMPACT APPLICATIONS

FASTER RESPONSE

INCREASED COOLING CAPACITY

ALUMINIUM PLATE-FIN RADIATOR PROVIDES EXCELLENT COOLING CAPACITY WITH IMPROVED AIR FLOW.

Room 606, East Building 3, Tengda Center, Jiaojiang District, Taizhou, Zhejiang, China