

China

Goodsense

Negotiable

Negotiable

T/T

Bare packaging

30-40work days

Chinese Brand Compact Montacarga Forklift 10 Ton Diesel Forklift Truck With Japanese Engine

Basic Information

- Place of Origin:
- Brand Name:
- Model Number: FD100
- Minimum Order Quantity:
- Price:
- Packaging Details:
- Delivery Time:
- Payment Terms:



Product Specification

- Model Number:
- Rated Loading Capacity:
- Core Components:
- Weight (KG):
- Fork Length:
- Fork Width:
- Overall Dimensions:
- Rated Capacity:
- Place Of Origin:
- Brand Name:
- Name:
- Condition:
- Energy Supply:
- Advantage:
- Highlight:

FD100 FD120
10 TON 12 TON
Gear, Pump, Engine
13100 Kg
1520mm
175mm
4280*2170*2830mm
13100kg
China
Goodsense
Forklift
New
Reference Introduction
Small Vibration And Noise

compact montacarga forklift,



More Images







Product Description

Chinese brand compact montacarga forklift 10 ton diesel forklift truck with Japanese engine

1. Wide view mast design, ensure the driver has an excellent view, which makes loading and unloading operations more secure and efficient;

2.Load sensing priority steering hydraulic system design, flexible steering, mast lift speed increased by 20%;

3.All accessories like engine, gear box are support by domestic and world famous brand, high quality, reliable after-sales;

4. The overhead guard adopts the high strength steel sheet to press molding, providing more sophisticated security for the driver, it can also prevent wind and rain.

General	Model			FD100	FD120
	Power Type			Diesel	Diesel
	Rated Capacity			10000	12000
	Load Centre			600	600
Character	Lift Height		mm	3000	3000
istic&Dim ension	Fork Size	L×W×T	mm	1520×175× 85	1520×180×1 00
	Mast Tilt Angle	F/R	Deg	6°/12°	6°/12°
	Fork Overhang (Wheel center to fork face)		mm	739	754
	Ground Clearance(Bottom of mast)		mm	230	230
	Overall Dimension	Length to face of fork(Without fork)	mm	4280	4685
		Overall Width	mm	2170	2200
		Mast Lowered Height	mm	2830	3080
		Mast Extended Height(With backrest)	mm	4335	4500
		Overhead Guard Height	mm	2510	2540
	Turning Radius (outside)		mm	3970	4700
Performa	Speed	Travel (Full load)	km/h	30	30
nce		Lifting (Full load)	mm/s	270	270
	Max.Gradeability		%	20	20

Chassis	Tyre		Front	mm	9.00-20- 14PR	11.00-20- 16PR
			Rear	mm	9.00-20- 14PR	9.00-20-14
	Wheelbase			mm	2800	3200
	Self weight			kg	13100	14500
Power&Tr ansmissio	Batter y	Voltag	e/Capacity	V/Ah	(12/80) x 2	(12/80) x 2
n	Engin e	Model			6BG1-QC02	QSB4.5- C130
		Manuf	acture		ISUZU	CUMMINS
		Rated	output/r.p.m.	kw	82.4/2000	97/2200
		Rated	torque/r.p.m.	N∙m	416/1600	622/1500
		No.of (Cylinder		6	6
		Bore×	Stroke	mm	105×125	107×124
		Displa	cement	сс	6494	4500
		Fuel Tank Capacity		L	135	150
	Trans missio n	Туре			Hydraulic	Hydraulic
		Stag e	FWD/RVS		2/2	2/2

席 瑞东

(18367688514

Taizhou Ruidong Import and Export Co., Ltd

gjq_0208@163.com 📀 rdforklift.com

Room 606, East Building 3, Tengda Center, Jiaojiang District, Taizhou, Zhejiang, China