

China

Goodsense

Negotiable

T/T

Bare packaging

30-40work days

FD30 FD35 FD40

GOODSENSE 3 Ton 4 TON 3.5 TON Weather resistant forklift

Basic Information

- Place of Origin:
- Brand Name:
- Model Number: FD30
- Minimum Order Quantity:
- Price: Negotiable
- Packaging Details:
- Delivery Time:
- Payment Terms:



Product Specification

- Model Number:
- Rated Loading Capacity:
- Core Components:
- Weight (KG):
- Fork Length:
- Fork Width:
- I OIK WIGHI.
- Overall Dimensions:
- Engine:
- Place Of Origin:
- Brand Name:
- Name:
- Condition:
- Energy Supply:
- Advantage:
- Highlight:
- 3 Ton 4 TON 3.5 TON Bearing, Pump, Gearbox, Engine 4250 Kg 1070mm 125mm 2780*1230*2115mm Chinese Engine China Goodsense Forklift New Reference Introduction Small Vibration And Noise

goodsense diesel forklift truck,



Our Product Introduction

Products Show

1. Wide view mast design, ensure the driver has an excellent view, which makes loading and unloading operations more secure and efficient;

2.Load sensing priority steering hydraulic system design, flexible steering, mast lift speed increased by 20%;

3.All accessories like engine, gear box are support by domestic and world famous brand, high quality, reliable after-sales;

4. The overhead guard adopts the high strength steel sheet to press molding, providing more sophisticated security for the driver, it can also prevent wind and rain.

Model		FD30	FD35	FD40
Rated lifting load	kg	3000	3500	4000
Load center distance	mm	500		
Free lifting height	mm	160		
overall length (Withfork/Withoutfork)	mm	3752/2682	3763/2693	4000/2930
Width	mm	1225		1290
Overhead guard height	mm	2090		2180
Wheelbase	mm	1700		1900
Minimum ground clearance	mm	135		140
Mast tilt angle (front/rear)	%	6° /12°		
Tire no. (before)		28*9-15-14PR		250-15-16PR
Tire no. (after)		6.5-10-10PR		7.00-12-12PR
Minimum turning radius (outer side)	mm	2400	2420	2710
Minimum right angle aisle width	mm	4260	4260	4750
Fork size	mm	1070*125*45	1070*125*50	1070*150*50
maximum working speed(Full- load/No-load)	km/h	18/19	19/19	
maximum lifting speed(Full- load/No-load)	mm/s	440/480	330/370	
maximum gradeability(Full- load/No-load)	%	15/20		
Forklift weight	kg	4250	4500	4950
Engine model		Chinese engine		

Taizhou Ruidong Import and Export Co., Ltd				
I8367688514 gjq_0208@163.com rdforklift.com Room 606, East Building 3, Tengda Center, Jiaojiang District, Taizhou, Zhejiang, China				

I